## Sappi Decorative Laminates

width reference

## Ultracast® PR/PPR/PRX

High pressure laminate (HPL) presses require an exceptionally resistant paper to maintain texture integrity. Ultracast PR & PPR retain the desired texture under loads exceeding 1200 psi (82.74 bar) up to 425F (218C). Ultracast PRX offers increased flexibility, lower curl, and lower gloss levels in a select offering of textures.

# Ultracast® PRC/PPRC

Developed to meet the demands of a continuous pressure laminate (CPL) machines with a greater degree of mechanical flexibility and moisture stability. Ultracast PRC/PPRC is post dried to 1.5% moisture to eliminate vapor marking on press. The Ultracast PRC family shares all the textures found in Ultracast PR.

#### sappi Ultracast

The Ultracast product line is the pinnacle of technology. Capturing 100% of the intended texture without relying on mechanical embossing of soft thermoplastic films, Ultracast locks the texture into a robust and durable acrylic matrix; impervious to heat or usage, the texture remains unfazed. No gloss shifts to worry about, no fidelity loss with use, 100% of the intended texture 100% of the time.



## woodgrain textures

## Maximum Width

		OIII
Artisan Walnut - 950	83.5	212
Artisan Walnut CD - 982	83 <b>.</b> 5	212
Ashwood - 803	63.0	160
Barnboard - 804	53 <b>.</b> 0	135
Bengal - 204	63.0	160
Bright Rustikal - 979	83 <b>.</b> 5	212
Brushed Wood - 920	63.0	160
Butternut - 956	63.0	160
Eclisse - 859	83 <b>.</b> 5	212
Larice - 885	83 <b>.</b> 5	212
Linear Wood - 924	83.5	212
Matek - 874	63.0	160
Matte Barnboard - 834	83 <b>.</b> 5	212
Matte Quercia - 836	83.5	212
Natura - 864	83.5	212
Natural Wood - 935	83.5	212
Noce - 848	83.0	211
Ondulato - 881	83.5	212
Origen - 949	63.0	160
Quercia - 845	83.5	212
Red Oak - 816	63.0	160
Rockwood - 820	83.5	212
Rovere - 831	83.5	212
Rustikal - 817	63.0	160
Sawcut - 884	83 <b>.</b> 5	212
Sculptured Wood - 873	63.0	160
Selva - 989	83 <b>.</b> 5	212
Verolegno - 879	83 <b>.</b> 5	212
White Oak - 822	65 <b>.</b> 5	166



## organic textures

#### Maximum Width

		cm
Allegro - 101	63 <b>.</b> 5	161
Arid Aries - 179	62.0	158
Arizona - 220	60.0	152
Cera - 825	83 <b>.</b> 5	212
Crinkle Patent - 115	63 <b>.</b> 0	160
Crystal - 808	63 <b>.</b> 0	160
Deco - 243	63.0	160
Dunes - 824	63 <b>.</b> 0	160
Fiesta - 990	63 <b>.</b> 0	160
Libra - 489	63.0	160
Magma - 244	63 <b>.</b> 0	160
Matte Denver - 493	63 <b>.</b> 0	160
Matte Woodstock - 156	60.0	152
Paua - 229	63 <b>.</b> 0	160
Quest - 959	63 <b>.</b> 0	160
Stipple - 819	63.0	160
Stucco - 194	63 <b>.</b> 0	160
Suede - 821	83 <b>.</b> 5	212
Tela - 968	83 <b>.</b> 5	212
Yarmouth - 823	63.0	160



## flat textures

#### Maximum Width

	in	cm
Carrara - 971	63.0	160
Essenza - 967	63.0	160
Fragranza - 976	63 <b>.</b> 5	161
High Gloss - 810	63 <b>.</b> 5	161
Nabuk - 175	62 <b>.</b> 0	158
Opal - 131	63.0	160
Optima - 986	83.0	211
Patina - 133	63.0	160
Sahara - 818	83.5	212



### geometric textures

#### Maximum Width

		cm
Alloy - 180	63.0	160
Apex - 925	62.0	158
Lace - 917	62.0	158
Matte Alloy - 835	83.5	212
Moire - 148	63.0	160
Paris - 901	63.0	160
Spring - 938	62.0	158
Titan - 915	63.0	160
Wrangler - 178	62.0	158



#### stone textures

#### Maximum Width

	in	cm
Bright Stone - 878	83.5	212
anyon - 988	83.5	212
alian Stone - 829	84.0	213
imestone - 811	63.0	160
190 detallic - 190	63.0	160
eetah - 965	83.5	212
uarry - 209	63.0	160
andstone - 980	53.0	135
late - 856	53.0	135
Irban - 992	83.5	212
osemite - 966	83,5	212

#### sappi | casting & release

Contact your Sappi sales representative today for more information on Sappi Decorative Laminates, or to order sample paper.

www.sappirelease.com